## CLAIM AMENDMENTS

- 1. (Currently Amended) A wind power generation system comprising a wind power generator, and a laser aerovane either mounted on said wind power generator or arranged located near the said wind power generator, wherein said laser aerovane observes direction and velocity of a wind blowing toward said wind power generator, and at least either one of yaw angle of and pitch angle of said wind power generator is controlled based on the basis of results obtained by the of observation by said laser aerovane, whereby output of the wind power generation system, including the wind power generator, is controlled.
- 2. (Currently Amended) The wind power generation system according to claim 1, wherein said wind power generator is provided with includes a variable-speed generator, and number of rotations of said wind power generator is controlled based on the basis of the results obtained by the observation of by said laser aerovane.
- 3. (Currently Amended) The wind power generation system according to claim 1, wherein said laser aerovane observes direction and velocity of the wind blowing toward said wind power generator by

emitting a laser beam ahead of said wind power generator from said laser aerovane,

eatehing a detecting scattered wave waves of the laser beam, scattered by an aerosol

that exists located at any position distant from said wind power generator, at an arbitrary

distance, and that floats in the air and moves on the wind at the same speed as the wind, and

detecting a phase difference between said the laser beam and a the scattered wave

thereof waves in terms of the Doppler effect.

- 4. (Original) The wind power generation system according to claim 1, wherein, in a wind farm where plural wind power generators are arranged, output of the whole wind farm is smoothed on the basis of results obtained by observation of one or several laser aerovanes arranged in said wind farm.
- 5. (Original) The wind power generation system according to claim 1, further comprising any other electric power generating means connected to an electric power system in the same manner as said wind power generator connected to the electric power system, wherein output of the wind power generation system including said wind power generator and said other electric power generating means is controlled on the basis of results obtained

In re Appln. of YOSHIDA et al. Application No. Unassigned

by the observation of said laser aerovane, and output of the whole wind power generation system is smoothed.

6. (Currently Amended) A wind power generation system comprising a wind power generator, a laser aerovane either mounted on said wind power generator or arranged located near the said wind power generator, and an output-smoothing device connected to said wind power generator, wherein

said laser aerovane observes direction and velocity of a wind blowing toward said wind power generator,

eutput adjustment amount of power produced by said wind power generator is calculated in advance based on the basis of results obtained by the observation by said laser aerovane,

<u>power</u> output of the wind power generation system including said wind power generator and said output-smoothing device is controlled <u>based</u> on <del>the basis of</del> conditions obtained by <del>the</del> calculation, and

power output of the whole wind power generation system is smoothed.

- 7. (Currently Amended) The wind power generation system according to claim 6, wherein said output-smoothing device earries out controls power output eontrol so that power output fluctuation in of said wind power generation system is cancelled when the wind observed by said laser aerovane arrives at said wind power generator.
- 8. (Currently Amended) The wind power generation system according to claim 7, wherein said wind power generator is provided with includes a variable-speed generator and earries out output control so that said output-smoothing device controls output frequency fluctuation and output voltage fluctuation in of said wind power generation system are within a predetermined range.
- 9. (Currently Amended) The wind power generation system according to claim 6, wherein said output-smoothing device is emprised selected from the group consisting of enveronger enveronger
- 10. (Currently Amended) The wind power generation system according to claim 6, wherein said laser aerovane observes direction and velocity of the wind blowing toward said wind power generator by

In re Appln. of YOSHIDA et al. Application No. Unassigned

emitting a laser beam ahead of said wind power generator from said laser aerovane,
eatehing a detecting scattered wave waves of the laser beam scattered by an aerosol
that exists located at any position distant from said wind power generator, at an arbitrary
distance, and that floats in the air and moves on the wind at the same speed as the wind, and
detecting a phase difference between said the laser beam and a the scattered wave
thereof waves in terms of the Doppler effect.

- 11. (Original) The wind power generation system according to claim 6, wherein, in a wind farm where plural wind power generators are arranged, output of the whole wind farm is smoothed on the basis of results obtained by observation of one or several laser aerovanes arranged in said wind farm.
- 12. (Original) The wind power generation system according to claim 6, further comprising any other electric power generating means connected to an electric power system in the same manner as said wind power generator connected to the electric power system, wherein output of the wind power generation system including said wind power generator and said other electric power generating means is controlled on the basis of results obtained by the observation of said laser aerovane, and output of the whole wind power generation system is smoothed.